

Mitchell E. Daniels, Jr. Governor

Judith A. Monroe, M.D. State Health Commissioner

DATE:

April 2, 2009

TO:

All Local Health Departments

Attn: Chief Food Specialist

FROM:

A. Scott Gilliam, MBA, CP-FS

Manager, Food Protection Program Vonda S. allen for a. Scatt Gilliam

SUBJECT:

Kroger Recalls Lite Mayo

SUGGESTED

ACTION:

Class Unclassified; Lite Mayo recall due to Salmonella; Recommend notification of

affected stores via phone, fax or e-mail.

From the information provided by FDA, the recalled products were distributed in Indiana. The Kroger Co. is recalling Kroger Lite Mayo in 32-ounce plastic jars with a "Sell by" date of SEP-25-09 sold in Kroger stores in Southwestern Ohio, including Cincinnati and Dayton, and in Northern Kentucky and Southeastern Indiana because the product may be contaminated with Salmonella. Detail information is not available at this time. In addition, if any recalled product is found, please notify this office at 317-233-7360.

Kroger Recalls Lite Mayo Due to Possible Health Risk

Contact:

Denise Osterhues 513-762-1304

FOR IMMEDIATE RELEASE -- Cincinnati, OH -- March 31, 2009 --- The Kroger Co. said today it is recalling Kroger Lite Mayo in 32-ounce plastic jars with a "Sell by" date of SEP-25-09 sold in Kroger stores in Southwestern Ohio, including Cincinnati and Dayton, and in Northern Kentucky and Southeastern Indiana because the product may be contaminated with Salmonella.

No illnesses have been reported in connection with the product.

Kroger is recalling the following item: - Kroger Lite Mayo sold in 32-ounce jars with a "Sell by" date of SEP-25-09 under the following UPC Code: 11110 66090.

Customers who have purchased the above product should not consume it and should return it to a store for a full refund or replacement.



Salmonella is an organism that can cause serious and sometimes fatal infections, particularly in young children, the elderly, and persons with weakened immune systems. Healthy persons infected with Salmonella often experience fever, diarrhea, nausea, vomiting and/or abdominal pain. For more information, please visit the Centers for Disease Control and Prevention's website at www.cdc.gov

Consumers who have questions about this recall may contact Kroger toll-free at (800) 632-6900. For more information, please visit www.kroger.com/recalls.

#

RSS Feed for FDA Recalls Information [what's this?]